



VMC-19LEDM

Article number: 208366

19" (48cm) LCD/TFT, 1280x1024, Professional Monitor, 12V, Protection Glass, HDMI, LED

Mainfeatures

Professional PAL/NTSC LCD/TFT monitor

Built to run 24x7x365 continuously

Resolution of 1280x1024

Quick signal switching, fast response time

Compact metal cabinet, Protection glass

IR remote control included

Multi language on-screen menu driven setup

3D comb filter

CVBS, S-Video, HDMI, RGB and audio input

Artifacts, noise and motion blur reduction

Integrated loudspeakers

Rack mount ready, tilt up to 90°

Specifications

Resolution pixels	1280x1024
Comb filter	3 D Motion Adaptive De-interlace
Comb filter	yes
Aspect ratio	4:3
Contrast ratio typical	1000:1
Response time typical	5 ms
Brightness typical	250 cd/m ²
Backlighting	LED
Viewing angle vertical	160 °
Viewing angle horizontal	170 °
Screen size	19"
Screen Size (cm)	48.2 cm

VMC-19LEDM

Specifications continued

Menu languages	German, English, French, Italian, Spanish
Video inputs (type)	HDMI, VGA, S-Video, 2x composite (CVBS)
Video outputs	2x Composite
Audio inputs	RCA
Audio outputs	2
Serial interfaces	no
Series	eneo VMC
Dimensions (HxWxD)	353x482x80mm
Mount	VESA standard (4 threads M4, 100x100mm)
Housing material	metal
Housing color	black
Weight	6.5kg
Loudspeaker	2
Power consumption	42W
Supply voltage	12VDC +/-5% (PSU 100V~240VAC included)
Temperature range (operation)	0°C ~ +50°C
Certificates	CE
Parts supplied	manual, IR remote controller, VGA cable, power cord, PSU





Special features

Flexible tiltable rackmount capability

Anti-Burn-in Technology


VMC-19LEDM

Available Accessories

Bild	Art. Nr. / Bezeichnung	Beschreibung
	208865 / VMC-LCD/WMB-2	Wall Bracket for TFT/LCD Monitors, straight, VESA
	208870 / VMC-LCD/CMB-3	Ceiling Mount Bracket for TFT/LCD Monitors, 15" up to 37", VESA
	90468 / VMC-LCD/WMB-4	Wall Bracket for LCD Monitors up to 23", Pan and Tilttable
	90553 / LCD-ST/HM	Desktop Mount for LCD Monitor, Series VMC-15/17/19, VESA Standard

VMC-19LEDM

Technical Drawing



Your Contact Person



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Deutschland
Tel.: +49 6074-888-333
E-Mail: info@eneo-security.com
Web: www.eneo-security.com