



## VKCD-1329ASSM

Article number: 208589

1/3" Mini Dome, Fixed, clear, 3.6mm, 700TVL, 12VDC, Vandal resistant, Surface

### Mainfeatures

1/3" colour board camera with Super HAD CCD

Resolution of 700 horizontal lines

Digital signal processing (DSP)

White-coloured aluminium die-cast casing

Easy indoor and outdoor installation (IP66)

Vandal resistant

Integrated lens F2.0/3.6mm

Automatic shutter control

Automatic white balance (ATW)

Clear Lexan bubble, 57mm

For wall and ceiling surface mounting

### Specifications

Sensor size	1/3"
Imager	CCD
Imager	Sony Super HAD II Interline Transfer
System	electronic Day&Night
Sensitivity	0,1 Lux
Sensitivity	(colour), 0.08Lux (B&W) at F1.2, 50 IRE
Low speed shutter	no
Wide Dynamic Range (WDR)	no
Backlight compensation	BLC
IR cut filter	OLPF (Overlay Low Pass Filter)
Signal-to-noise ratio	-50 db
Video standard	PAL

# VKCD-1329ASSM

## Specifications continued

Synchronization	internal
Lens type	fixed focal length
Focal length	3,6 mm
Digital zoom	no
Horizontal angle of view	68 °
Active picture elements	976(H) x 582(V) pixels
Horizontal resolution	700 TVL
Motion detector	no
e-PTZ support	no
Digital Noise Reduction (DNR)	no
Video outputs	composite (CVBS)
Video outputs	1Vp-p, CVBS, 75ohms
Alarm inputs	no
Alarm outputs	no
Serial interfaces	no
Dimensions (HxWxD)	60,5x80
Illumination	no
Colour (housing)	white
Colour (bubble)	clear
Housing	outdoor
Housing material	metal (aluminium)
Weight	170g
Heater	no
Bubble	57mm (2.25"), polycarbonate plastic
Power consumption	1.5W
Mounting	ceiling mount, wall mount
Protection rating	IP66
Supply voltage	12VDC
Temperature range (operation)	-10°C ~ +50°C
Vandalism resistant	yes
Certificates	CE
Parts supplied	manual, screw set

## VKCD-1329ASSM

### Available Accessories

Bild	Art. Nr. / Bezeichnung	Beschreibung
	203658 / VT-PS12DC-11	Plug-in Power Supply Unit, 100-240VAC/12VDC (1.0A), Regulated, with DC Plug

### Your Contact Person



eneo is a registered trademark of  
VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8  
63322 Rödermark  
Deutschland  
Tel.: +49 6074-888-333  
E-Mail: [info@eneo-security.com](mailto:info@eneo-security.com)  
Web: [www.eneo-security.com](http://www.eneo-security.com)