



PNR-5332/3TB

Article number: 213336

Network Video Recorder, 32xIP, 1920x1080, 800fps, 3TB, H.264, HDMI, VGA

Mainfeatures

32 channel Full HD Real Time NVR

Full HD 1920x1080 HDMI/VGA main output

Digital PTZ, multiview display

iRAS Software included

16 alarm IN and 4 alarm OUT

ONVIF compatible

Video compression H.264

Multilingual Graphic User Interface (GUI)

IR remote control and mouse control

Network camera zero configuration

6x Sata HDD intern + 2x eSata

Specifications

| Video | |
|---------------------------|---|
| Compression standard | H.264 |
| Display | |
| Display | 1920x1080, 1920x1200, 4 CH HD synchronous playback, 1680x1050, 1600x1200, max. 960fps, Digital Zoom (x2~12) Live & Playback |
| Recording | |
| Operation mode | Quadplex |
| Max. recording resolution | 3264x2448 |
| Max. recording rate | 960 fps |
| Max. recording rate | @1920x1080 |
| Recording | time lapse, event, panic, Text in- POS, Pre-Alarm |

PNR-5332/3TB

Specifications continued

| | |
|--------------------------------------|--|
| Pre-alarm recording | up to 30min. |
| Backup | Setup import and export |
| Export of images or clip | USB-port external HDD, via client software, Clip Player, AVI, JPG, BMP |
| Features | |
| Alarm notification | e-mail notification, Buzzer, remote software, alarm output |
| Alarm triggers | disk error, eystem error, video loss, Camera Contact, Camera Motion, contact, Text in- Pos |
| Audio support | yes |
| Password protection | 64 groups, 256 users |
| HDD hotswap | no |
| Menu languages | English, German, French, Italian, Spanish, Dutch, Danish, Russian, Polish, Hungarian, Czech, Croatian, Swedish, Finnish, Turkish |
| Remote access | remote software, browser |
| Remote configuration | web browser, remote software, mobile client iPhone, iPad, Android |
| Covert camera mode | yes |
| Network | |
| Network | 2x 100/1000 Base-T, RJ45 |
| Network protocols | TCP, DHCP, SNS, FEN, Zeroconf |
| Network data transfer rate | 50 Mbps |
| Data transfer rate | 230 Mbps |
| Interfaces / Inputs / Outputs | |
| IP channels | 32 |
| Recommended IP channel assignment | 2MP 32 channels (25fps), 3MP max. 8 channels (25fps), 5MP~8MP max. 4 channels (25fps) |
| Channels total | 32 |
| Video inputs (amount) | 16 |
| Monitor outputs | HDMI, VGA |
| Spot monitor | no |
| USB ports | 2x USB 2.0 |
| Interfaces external storage | eSATA, 4x HDD 4TB |
| Alarm inputs | 16 |
| Alarm output | 4x TTL NO/NC selectable |
| Audio output | line output |
| Serial interfaces | RS-232 |
| System requirements | |
| Operation system | Linux |
| General | |
| Series | eneo Premium Class |
| Dimensions (HxWxD) | 88x430x420mm |
| 19" Rack mountable | yes |
| Number of HHD slots | 6x SATA |
| Control units (external) | mouse, Network Keyboard |

PNR-5332/3TB

Specifications continued

| | |
|-----------------------------------|--|
| Harddisk capacity (internal) | 3 TB |
| Max. harddisk capacity (internal) | 24 TB |
| Weight | 6.0Kg |
| Integrated writer | no |
| Power consumption | 100W max. |
| ONVIF | Profile S |
| RAID | n/a |
| Supply voltage | 100 - 240 VDC, 50/60Hz |
| Temperature range (operation) | 0°C ~ +40°C |
| Scope of delivery | |
| Parts supplied | mouse, remote viewer software, PSU, manual, IR remote controller, HDD assembly-kit, 19" rack mount angle |
| Notes | |

PNR-5332/3TB

Available Accessories

| Bild | Art. Nr. / Bezeichnung | Beschreibung |
|---|------------------------------|---|
|  | 74746 / KBD-NSC-100 | Network System Controller with 3-Axis Joystick and Jog Shuttle, 5VDC |
|  | 206552 / iRAS | Management Software for DLR, DMR, TVR, PNR-53xx, and PNR-5416 Series |
|  | 209076 / RAS MOBILE App | Mobile App, for Android and iOS, compatible to DLR, DMR, PNR-53xx, TVR series |
|  | 210283 / PLS-5304 | Network Video Server, 4-channel, H.264, PoE, 12V, 100fps@720x576, Audio |
|  | 210284 / PLS-5308 | Network Video Server, 8-channel, H.264, PoE, 12V, 200fps@720x576, Audio |
|  | 211105 / eneo Raid Box | Expansion Unit, 5-Bay, without HDD, eSATA, Desktop |
|  | 211412 / NPCII | Protocol converter, RS232, TCP/IP, 9-12V |
|  | 211461 / HDD-3000SATA Purple | Hard Disk Drive 3TB, SATA, DLR, HDR-5, PNR-53 TER, TVR, series expansion |
|  | 211462 / HDD-4000SATA Purple | Hard Disc Drive 4TB, SATA, DLR, HDR-5, PNR-53 TER, TVR, series expansion |
|  | 212067 / HDD-2000SATA Purple | Hard Disk Drive 2TB, SATA, DLR, DMR, HDR-5, PNR-53 TER, TVR series, expansion |

Your Contact Person



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Deutschland
Tel.: +49 6074-888-333
E-Mail: info@eneo-security.com
Web: www.eneo-security.com