



F0412NDDC-NFS

Article number: 47148

F1.2/4mm DC Lens with No Focus Shift, 1/3" CS Mount

Main features

Suitable for 1/3" and 1/4" colour and b&w cameras

Monofocal length

CS mount

4 pin connector for DC iris control

Locking mechanism for the focus ring

No-focus-shift from visible to near IR light range

Aspherical lens elements

High standard of optical and mechanical quality

Adjustable slip-ring mount for cable positioning

Specifications

| | |
|--------------------------|--------------------|
| Day/Night | yes |
| Megapixel | no |
| Lens type | fixed focal length |
| Focal length | 4 mm |
| Mount | CS |
| Aperture range (F) | F1.2~F360 |
| Iris control | DC |
| Filter screw size | not available |
| Nominal format size | 1/3" |
| Aspherical technology | yes |
| Horizontal angle of view | 65,6 ° |
| Application range | day/night |
| Diameter | 34 mm |
| Weight | 44g |


F0412NDDC-NFS

Specifications continued

| | |
|-------------------------------|---------------|
| Length | 34,7 mm |
| Radius | 24,5 mm |
| Temperature range (operation) | -20°C ~ +50°C |

F0412NDDC-NFS

Technical Drawing



Maße/Dimensions: mm

Your Contact Person



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Deutschland
Tel.: +49 6074-888-333
E-Mail: info@eneo-security.com
Web: www.eneo-security.com