



AVU-8/2EC

Article number: 76405

Video Switcher 8 Inputs, 2 Outputs in Desktop Housing, 230V

Mainfeatures

8 camera inputs

Outputs selectable as spot or sequence

Selectable dwell time

Supply voltage: 15VAC 50/60Hz

2 outputs (A and B)

Vertical interval switching

Programmable bypass function

Colour: Pantone Cool Gray 1C

Specifications


Signal-to-noise ratio	60db
Video inputs	8x 1 Vp-p, (C)VBS, 75 ohms, BNC
Video outputs	2x 1Vp-p, (C)VBS, 75ohms BNC (A and B selectable as spot or sequence outputs)
Dimensions (HxWxD)	see drawing
Colour	Pantone Cool Gray 1C
Housing	Steel metal
Weight	1.5kg (with PSU)
Power consumption	approx. 4.5W
Supply voltage	15VAC, 50/60Hz

More product information

*) Power supply unit 230 VAC/15 VAC included

AVU-8/2EC

Technical Drawing



Maße/Dimensions: mm

Your Contact Person



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Deutschland
Tel.: +49 6074-888-333
E-Mail: info@eneo-security.com
Web: www.eneo-security.com